

# ■ Pulpiti **COMPONIBILI** MODULAR consoles

## Cassa Base



IP55

### Struttura

realizzata in lamiera d'acciaio sp. 15/10 verniciata RAL 7035 bucciato.

### Porta anteriore

realizzata in lamiera d'acciaio sp. 15/10 verniciata RAL 7035 bucciato.

### pannello posteriore asportabile

realizzato in lamiera d'acciaio sp. 15/10 verniciato RAL 7035 bucciato

### Fondo ingresso cavi

regolabile in due metà, realizzato in lamiera d'acciaio zincata sp. 15/10.

### Pannello di cablaggio

realizzato in lamiera d'acciaio zincata sp. 20/10 regolabile in profondità a passo 25 mm.

### Composizione

struttura, porte, pannello posteriore, fondo ingresso cavi e pannello di cablaggio.

### Grado di protezione

IP 55 EN 60529 soddisfa TYPE 1, 12 se assemblati come da configurazione.

### Structure

Made of 15/10 thick steel sheet, painted textured RAL 7035.

### Front door

Made of 15/10 thick steel sheet, painted textured RAL 7035.

### Rear removable panel

Made of 15/10 thick steel sheet, painted textured RAL 7035.

### Bottom cable gland plate

Composed of two parts, adjustable. Made of 15/10 thick galvanized steel sheet.

### Mounting panel

Removable, made of 20/10 thick galvanized steel sheet, adjustable in depth with 25 mm pitch.

### Composition











Structure, doors, rear panel, bottom cable gland plate and mounting panel.

### Protection degree

IP 55 EN 60529 compliant to NEMA 1, 12 if assembled as the configuration.

### DIMENSIONI DIMENSIONS

CODICE CODE	PROFONDITÀ DEPTH	LARGHEZZA, L WIDTH, L	A	B	C	D	E
R5CPC600	430	600	586	500	475	547	531
R5CPC800	430	800	786	700	675	747	731
R5CPC1000	430	1000	986	900	875	947	931
R5CPC1200	430	1200	1186	1100	1075	1147	1131
R5CPC1600	430	1600	1586	1500	1475	1547	1531



# ■ Pulpiti **COMPONIBILI** MODULAR consoles

## Alzata Top



IP55

### Struttura

realizzata in lamiera d'acciaio sp. 15/10 verniciata RAL 7035 bucciato.

### Pannello posteriore

asportabile realizzato in lamiera d'acciaio sp. 15/10 verniciato RAL 7035 bucciato.

### Porta anteriore

realizzata in lamiera d'acciaio sp. 20/10 completa di aste di sostegno per l'arresto.

### Pannello di cablaggio

realizzato in lamiera d'acciaio zincata sp. 20/10 regolabile in profondità a passo 25 mm.

### Composizione

struttura, porta anteriore, pannello posteriore, pannello di cablaggio.

### Grado di protezione

IP 55 EN 60529 soddisfa TYPE 1, 12 se assemblati come da configurazione.

### Structure

Made of 15/10 thick steel sheet, painted textured RAL 7035.

### Rear panel

Removable, made of 15/10 thick steel sheet, painted textured RAL 7035.

### Front door

Made of 20/10 thick steel sheet, complete with support bars for door stop.

### Mounting panel

Made of 20/10 thick galvanized steel sheet, adjustable in depth with 25 mm pitch.

### Composition







Structure, front door, rear panel, mounting panel.

### Protection degree

IP 55 EN 60529 compliant to TYPE 1, 12 if assembled as the configuration.

### DIMENSIONI DIMENSIONS

CODICE CODE	PROFONDITÀ DEPTH	LARGHEZZA, L WIDTH, L	H	I	K	M
R5APC600	430	600	596	547	500	531
R5APC800	430	800	796	747	700	731
R5APC1000	430	1000	996	947	900	931
R5APC1200	430	1200	1196	1147	1100	1131
R5APC1600	430	1600	1596	1547	1500	1531



# ■ Pulpiti **COMPONIBILI** MODULAR consoles

## Mensola Desk



IP55

### Struttura

Realizzata in lamiera d'acciaio sp. 15/10 verniciata RAL 7035 bucciato.

### Porta superiore

Realizzata in lamiera d'acciaio sp. 20/10 verniciata RAL 7035 bucciato. Completa di aste di sostegno per l'arresto della porta.

### Composizione

Struttura, porta superiore.

### Grado di protezione

IP 55 EN 60529 soddisfa TYPE 1, 12 se assemblati come da configurazione.

### Structure

Made of 15/10 thick steel sheet, painted textured RAL 7035.

### Upper lid

Made of 20/10 thick steel sheet, painted textured RAL 7035. Complete with support bars for lid stop.

### Composition

Structure, upper lid.

### Protection degree

IP 55 EN 60529 compliant to TYPE 1, 12 if assembled as the configuration.

### DIMENSIONI DIMENSIONS

CODICE CODE	PROFONDITÀ DEPTH	LARGHEZZA, L WIDTH, L	F	G
R5MPC600	870	600	547	500
R5MPC800	870	800	747	700
R5MPC1000	870	1000	947	900
R5MPC1200	870	1200	1147	1100
R5MPC1600	870	1600	1547	1500

