

## CONDIZIONATORI SLIM UL LISTED UL LISTED SLIM COOLERS

SLIM IN 3000W  
SLIM IN 3000W



### Descrizione Description

- Tutte le versioni bifase e trifase possono essere alimentate a differenti tensioni, mediante la modifica del cablaggio interno (seguire schemi).

- Campo regolazione temperatura (set di fabbrica) da / a: **+30°C / +40°C**

- Livello di rumore **71 dB (A)**

- Tipo di refrigerante: **R513a.**

- Tipo ciclo di lavoro **100%**

- NEMA TYPE 12

Opzionale

COLORE SPECIALE = R9ULK...

- All two-phase and three-phase versions can be supplied with different voltages, by changing the internal wiring (follow diagrams).

- Temperature regulating range (factory set) from /to **+30°C / +40°C**

- Noise level **71 dB (A)**

- Coolant type: **R513a.**


- Operating cycle type **100%**

- NEMA TYPE 12

Optional

SPECIAL COLOR = R9ULK...

**IP54**



### Dati Tecnici Technical Data

#### COVER VERNICIATA/PAINTED


CODICE CODE	TENSIONE ALIMENTAZIONE POWER SUPPLY	FREQUENZA FREQUENCY HZ	POTENZA FRIGORIFERA (DIN_3168,W) REFRIGERATING POWER (DIN_3168,W)		DISPOSITIVO DI PROTEZIONE E SICUREZZA SUGGERITO SUGGESTED PROTECTION AND SAFETY DEVICE	POTENZA ASSORBITA POWER CONSUMPTION		FLA MASSIMA CORRENTE DI ESERCIZIO FLA MAXIMUM OPERATING CURRENT	CORRENTE DI SPUNTO STARTING CURRENT	PESO WEIGHT KG
			L35/L35	L35/L50		L35/L35	L35/L50			
R5ULK30043SI	400 / 460 Vac - 3 ph	50/60	3080	2350	8 A	1270	1520	2,73 A	12 A	74

#### COVER INOX/AISI 304

CODICE CODE	TENSIONE ALIMENTAZIONE POWER SUPPLY	FREQUENZA FREQUENCY HZ	POTENZA FRIGORIFERA (DIN_3168,W) REFRIGERATING POWER (DIN_3168,W)		DISPOSITIVO DI PROTEZIONE E SICUREZZA SUGGERITO SUGGESTED PROTECTION AND SAFETY DEVICE	POTENZA ASSORBITA POWER CONSUMPTION		FLA MASSIMA CORRENTE DI ESERCIZIO FLA MAXIMUM OPERATING CURRENT	CORRENTE DI SPUNTO STARTING CURRENT	PESO WEIGHT KG
			L35/L35	L35/L50		L35/L35	L35/L50			
RIULK30043SI	400 / 460 Vac - 3 ph	60	3080	2350	8 A	1270	1520	2,73 A	12 A	74

SLIM IN 3000W  
SLIM IN 3000W

**Specifiche tecniche** Technical Specs




SLIM IN 3000W  
SLIM IN 3000W

**Specifiche tecniche** Technical Specs

**Potenza frigorifera**  
Refrigeration power

**W 50Hz**



**W 60Hz**

